

ri-scope® L

High performance for life

The ri-scope® L – Premium handheld
LED Diagnostic instruments.



ri-scope® L Otoscope

Premium otoscopes with glass optics and LED / Li-ion technology



ri-scope® L2

The economic model with 2.5 V / 3.5 V LED fiber optic illumination, lasting up to 100,000 hours (without SpecEjec specula ejection device)

- Bi-directional swivelling optical glass with 3× magnification, optional operation lens with 4x magnification available for purchase
- Metal fitting for **e-scope®** / **ri-mini®** specula, compatible with specula by other well-known manufacturers
- With integrated fiber optic throat illuminator
- Suitable for pneumatic otoscopy (supplied without pneumatic bulb)
- Large selection of power sources: handy and stable handles, practical chargers and well-conceived diagnostic stations


ri-scope® L3

The high-end version with 2.5 V / 3.5 V LED fiber optic illumination, lasting up to 100,000 hours with SpecEjec specula ejection device and operation lens.

- Fiber optics for optimal transmission of the light
- Bi-directional swivelling optical glass with 3× magnification
- Includes operation lens with 4× magnification and glass mini optic ease the insertion of instruments
- With integrated fiber optic throat illuminator
- Easy-to-operate SpecEjec specula ejection device at the rear side of the otoscope to reduce cross contamination
- Fitting for **ri-scope®** specula and enlarged conduit for instruments
- Suitable for pneumatic otoscopy (supplied without pneumatic bulb)
- Large selection of power sources: handy and stable handles, practical chargers and well-conceived diagnostic stations



Otoscope Head with operation lens



The SpecEjec device enables touchless ejection of used ear specula for hygienic and simplified handling.

ri-scope® L Otoscope Head

10582*	ri-scope® L2 otoscope head, LED 2.5 V	10583*	ri-scope® L3 otoscope head, LED 2.5 V
10565	ri-scope® L2 otoscope head, LED 3.5 V	10567	ri-scope® L3 otoscope head, LED 3.5 V
10565-301	ri-scope® L2 otoscope head, LED 3.5 V with anti-theft security	10567-301	ri-scope® L3 otoscope head, LED 3.5 V with anti-theft security

*Compatible with alkaline batteries only and the **ri-scope® L** handle (**10670** – sold separately). Not suitable for rechargeable batteries or use with **ri-former®**.

ri-scope® L Ophthalmoscope

Premium-Class coaxial ophthalmoscope with renowned high-performance optics and LED / Li-ion technology




ri-scope® L2


All the important basic functions with separately engageable red-free, blue and polarization filters for each aperture.

- Dioptre wheel with 29 corrective lenses **Plus** 1-10, 12, 15, 20, 40 **Minus** 1-10, 15, 20, 25, 30, 35
- Easy-to-operate aperture hand-wheel with slit, fixation star, semi-circle and small, medium and large circles
- Includes filter wheel engageable for all apertures with symbol display, red-free filter, blue filter and polarization filter
- Optimized high-performance optics with aspherical condenser lens
- Parallel beam path
- Dust-proof
- Large selection of power sources: handy and stable handles, practical chargers and well-conceived diagnostic stations

Apertures L2



Filters




ri-scope® L3


The maximized model with additional focussing device and 89 single-step dioptre values.

- Corrective lenses for 89 dioptre values **Plus** 1-45 in single steps, **Minus** 1-44 in single steps
- Easy-to-operate aperture hand-wheel with grid, slit, fixation star, semi-circle and small, medium and large circles
- Includes filter wheel engageable for all apertures with symbol display, red-free filter, blue filter and polarization filter
- Focusing device with zero retention force for the quick correction of ametropias
- Dust-proof
- Large selection of power sources: handy and stable handles, practical chargers and well-conceived diagnostic stations

Apertures L3



Filters



Ophthalmoscope Head

ri-scope® L Ophthalmoscope Head

10597*	ri-scope® L2 ophthalmoscope head, LED 2.5 V	10598*	ri-scope® L3 ophthalmoscope head, LED 2.5 V
10571-203	ri-scope® L2 ophthalmoscope head, LED 3.5 V	10573-203	ri-scope® L3 ophthalmoscope head, LED 3.5 V
10595-301	ri-scope® L2 ophthalmoscope head, LED 3.5 V with anti-theft security	10596-301	ri-scope® L3 ophthalmoscope head, LED 3.5 V with anti-theft security

*Compatible with alkaline batteries only and the **ri-scope® L** handle (**10670** – sold separately). Not suitable for rechargeable batteries or use with **ri-former®**.

DIAGNOSTIC INSTRUMENT HEAD

Riester diagnostic instruments are engineered for precision, reliability and comfort. Featuring advanced 3.5 V LED technology with a lifespan of up to 100,000 hours, they deliver cool, daylight-like illumination through high-quality fiberoptic lightwave conductors. Each instrument is designed with ergonomic and durable casings — ranging from impact-resistant plastics to chrome-plated metal — and offers quick, secure bayonet fittings and easy lamp replacement. Whether examining skin, throat, or nasal passages, these tools ensure optimal visibility and a seamless clinical experience.



EliteVue Macro Otoscope

- More than 5× magnification
- Complete view of the tympanic membrane
- Reflection-optimised, high-performance glass optics
- Wheel to adjust focal depth
- Easy-to-operate SpecEjec specula ejection device at the rear side of the otoscope to reduce cross contamination

10510*	EliteVue head, LED 2.5 V
10512	EliteVue head, LED 3.5 V
10512-301	EliteVue head, LED 3.5 V with anti-theft security



ri-derma dermatoscope

- 10× magnification with focusing achromatic lens
- Two skin-friendly contact plates are available:
 - With scale (0 – 10 mm) for precise measurement of pigmented lesions
 - Without scale
- Stable black chrome-plated metal casing, dust-proof
- Practical eyeglass protection

10577	ri-scope® ri-derma dermatoscope head, LED 3.5 V
10577-301	ri-scope® ri-derma dermatoscope head, LED 3.5 V with anti-theft security



F.O. tongue blade holder

- Slide attachment for secure fixing of wooden tongue depressors
- Sturdy, lightweight ABS plastic casing

10574	ri-scope® F.O. tongue blade holder, LED 3.5 V
10574-301	ri-scope® F.O. tongue blade holder, LED 3.5 V with anti-theft security



F.O. nasal speculum

- Swiveling and removable lens with 2.5× magnification
- Controlled expansion via screw adjuster; fast expansion by pressing down
- Impact-resistant glass-fiber reinforced plastic casing

10575	ri-scope® F.O. nasal speculum, LED 3.5 V
10575-301	ri-scope® F.O. nasal speculum, LED 3.5 V with anti-theft security



F.O. light conductor

- Optimal illumination of throat and laryngeal areas
- Chrome-plated metal construction for durability

10576	ri-scope® F.O. light conductor, LED 3.5 V
10576-301	ri-scope® F.O. light conductor, LED 3.5 V with anti-theft security

*Compatible with alkaline batteries only and the ri-scope® L handle (10670 – sold separately). Not suitable for rechargeable batteries or use with ri-former®.

MODULAR DIAGNOSTIC SYSTEM

Diagnostic station with flexible, modular design

ri-former® – a modular diagnostic station offering flexibility for hospitals and medical practices. The diagnostic modules can be combined individually to suit the practitioner's specialty and location. The **ri-former®** diagnostic station exhibits notable advantages in terms of its versatile configurations.

With its centralised power supply, the **ri-former®** provides the necessary reliability to meet the demanding and fast-paced environment found in hospitals and medical practices.

Blood Pressure Modules

- Fully automated, clinical-grade blood pressure monitor [**RBP-100**]
- Manual, large-scale, clinical-grade aneroid sphygmomanometer [**big ben®**]

Thermometry Modules

- Infrared tympanic thermometer [**ri-thermo® tymPRO**]
- Non-contact, clinical-grade infrared thermometer [**ri-thermo® sensioPRO**]
- Predictive oral / axillary / rectal thermometer [**RPT-100**]

Instrument Heads

- **Riester** diagnostic **ri-former®** systems support up to three handles, each compatible with six interchangeable heads: otoscope, ophthalmoscope, dermatoscope, tongue blade holder, nasal speculum or light conductor.
- The diagnostic handles are available with a choice of **Riester ri-scope® L** and **EliteVue** instrument heads with LED illumination, offering up to 100,000 hours.

Accessories

- **ri-spec** integrated specula dispenser – for ear and nasal specula, choose from five funnels for five different specula sizes. This allows the use of a new speculum for each examination and is easy to refill and disinfect.
- Extension module – for one additional handle



For **ri-former®** instrument heads with anti-theft device option, please see pages 2 – 4.
For all other options, please see separate **ri-former®** brochure.

DIAGNOSTIC INSTRUMENT SETS

ri-scope® L otoscope Set

- **ri-scope® L** otoscope head
- Type C battery handle (batteries not included)
- A tube containing 10 disposable ear specula in assorted sizes ranging from 2 mm to 5 mm
- Operating lens with 4× magnification (included only in the L3 set)
- Deluxe hard case with safety catch



3703	ri-scope® L2 otoscope, LED 2.5 V / Type C battery handle for 2 Type C alkaline batteries or 1 ri-accu®
3704	ri-scope® L3 otoscope, LED 2.5 V / Type C battery handle for 2 Type C alkaline batteries or 1 ri-accu®
3703-550	ri-scope® L2 otoscope, LED 3.5 V / Type C battery handle for 1 ri-accu® L
3704-550	ri-scope® L3 otoscope, LED 3.5 V / Type C battery handle for 1 ri-accu® L



ri-scope® L ophthalmoscope Set

- **ri-scope® L** ophthalmoscope head
- Type C battery handle (batteries not included)
- Separate magnifying glass with 5× magnification
- Deluxe hard case with safety catch

3725-203	ri-scope® L2 ophthalmoscope, LED 2.5 V / Type C battery handle for 2 Type C alkaline batteries or 1 ri-accu®
3726-203	ri-scope® L3 ophthalmoscope, LED 2.5 V / Type C battery handle for 2 Type C alkaline batteries or 1 ri-accu®
3811-203	ri-scope® L2 ophthalmoscope, LED 3.5 V / Type C battery handle for 1 ri-accu® L
3812-203	ri-scope® L3 ophthalmoscope, LED 3.5 V / Type C battery handle for 1 ri-accu® L

ri-scope® L otoscope / ophthalmoscope Set

- **ri-scope® L** otoscope and ophthalmoscope head
- Type C battery handle (batteries not included)
- A tube containing 10 disposable ear specula in assorted sizes ranging from 2 mm to 5 mm
- Operating lens with 4× magnification (included only in the L3 set)
- Deluxe hard case with safety catch



3746.013	ri-scope® L2 oto-, LED 2.5 V / L2 ophthalmoscope, LED 2.5 V / Type C battery handle for 2 Type C alkaline batteries or 1 ri-accu®
3726-203	ri-scope® L3 oto-, LED 2.5 V / L2 ophthalmoscope, LED 2.5 V / Type C battery handle for 2 Type C alkaline batteries or 1 ri-accu®
3817-203	ri-scope® L3 oto-, LED 3.5 V / L2 ophthalmoscope, LED 3.5 V / Type C battery handle for 1 ri-accu® L



ENT Kit

A premium diagnostic set combining the **ri-scope® L2** otoscope and ophthalmoscope, both equipped with high-performance LED 3.5 V illumination for precise and reliable examinations.

- **ri-scope® L2** otoscope and ophthalmoscope (LED 3.5 V)
- USB Type-C battery handle with rechargeable Li-ion battery
- USB-C to USB-A charging cable, charging adapter and an interchangeable plug adapter
- A tube containing 10 disposable ear specula in assorted sizes ranging from 2 mm to 5 mm
- Durable zip case for secure storage and portability

3832	ri-scope® L2 oto-, LED 3.5 V / L2 ophthalmoscope, LED 3.5 V / USB Type C battery handle with Li-ion battery, US plug adapter
3833	ri-scope® L2 oto-, LED 3.5 V / L2 ophthalmoscope, LED 3.5 V / USB Type C battery handle with Li-ion battery, EU plug adapter
3834	ri-scope® L2 oto-, LED 3.5 V / L2 ophthalmoscope, LED 3.5 V / USB Type C battery handle with Li-ion battery, UK plug adapter
3835	ri-scope® L2 oto-, LED 3.5 V / L2 ophthalmoscope, LED 3.5 V / USB Type C battery handle with Li-ion battery, AU plug adapter

EliteVue otoscope / ri-scope® L ophthalmoscope Set

- **EliteVue** otoscope head and **ri-scope® L2** ophthalmoscope head
- Type C battery handle (batteries included or excluded depending on set)
- A tube containing 10 disposable ear specula in assorted sizes ranging from 2 mm to 5 mm
- Deluxe hard case with safety catch



2210-204	EliteVue otoscope / ri-scope® L2 ophthalmoscope, LED 2.5 V / Type C battery handle for 2 Type C alkaline batteries or 1 ri-accu®
2210-203	EliteVue otoscope / ri-scope® L2 ophthalmoscope, LED 3.5 V / Type C battery handle for 1 ri-accu® L
2212-203	EliteVue otoscope / ri-scope® L2 ophthalmoscope, LED 3.5 V / 2 Type C battery handles / 2 ri-accu® L / ri-charger® L



ri-scope® E.N.T.

- **ri-scope® L** otoscope head, **ri-scope® F.O.** fiber optic nasal speculum and **ri-scope® F.O.** fiber optic tongue blade holder
- Type C battery handle (batteries not included)
- A tube containing 10 disposable ear specula in assorted sizes ranging from 2 mm to 5 mm
- Operation lens with 4× magnification
- Deluxe hard case with safety catch

3760	ri-scope® L3 otoscope, LED 2.5 V / ri-scope® F.O. nasal speculum / ri-scope® F.O. tongue blade holder / Type C battery handle for 2 Type C alkaline batteries or 1 ri-accu®
3760-550	ri-scope® L3 otoscope, LED 3.5 V / ri-scope® F.O. nasal speculum / ri-scope® F.O. tongue blade holder / Type C battery handle for 1 ri-accu® L

ri-scope® L perfect

- **ri-scope® L** otoscope head, ophthalmoscope head and **ri-scope® F.O.** fiber optic tongue blade holder
- Type C battery handle (batteries not included)
- A tube containing 10 disposable ear specula in assorted sizes ranging from 2 mm to 5 mm
- Operation lens with 4× magnification
- Deluxe hard case with safety catch



3754	ri-scope® L3 oto-, LED 2.5 V / L2 ophthalmoscope, LED 2.5 V / ri-scope® F.O. tongue blade holder / Type C battery handle for 2 Type C alkaline batteries or 1 ri-accu®
3819-203	ri-scope® L3 oto-, LED 3.5 V / L2 ophthalmoscope, LED 3.5 V / ri-scope® F.O. tongue blade holder / Type C battery handle for 1 ri-accu® L

ri-scope® L praktikant

- **ri-scope® L** otoscope head, **ri-scope® F.O.** fiber optic nasal speculum, **ri-scope® F.O.** fiber optic tongue blade holder and **ri-scope® F.O.** fiber optic light conductor
- Type C battery handle (batteries not included)
- A tube containing 10 disposable ear specula in assorted sizes ranging from 2 mm to 5 mm
- Operation lens with 4× magnification
- Two laryngeal mirrors No. 3 and No. 4
- Deluxe hard case with safety catch



3766	ri-scope® L3 otoscope, LED 2.5 V / ri-scope® F.O. nasal speculum / ri-scope® F.O. tongue blade holder / ri-scope® F.O. light conductor / Type C battery handle for 2 Type C alkaline batteries or 1 ri-accu®
3766-550	ri-scope® L3 otoscope, LED 3.5 V / ri-scope® F.O. nasal speculum / ri-scope® F.O. tongue blade holder / ri-scope® F.O. light conductor / Type C battery handle for 1 ri-accu® L

ri-scope® L de luxe

- **ri-scope® L** otoscope head, ophthalmoscope head, **ri-scope® F.O.** fiber optic nasal speculum, **ri-scope® F.O.** fiber optic tongue blade holder and **ri-scope® F.O.** fiber optic light conductor
- Type C battery handle (batteries not included)
- A tube containing 10 disposable ear specula in assorted sizes ranging from 2 mm to 5 mm
- Two laryngeal mirrors No. 3 and No. 4
- Deluxe hard case with safety catch



3772	ri-scope® L3 oto-, LED 2.5 V / L2 ophthalmoscope, LED 2.5 V / ri-scope® F.O. nasal speculum / ri-scope® F.O. tongue blade holder / ri-scope® F.O. light conductor / Type C battery handle for 2 Type C alkaline batteries or 1 ri-accu®
3820-203	ri-scope® L3 oto-, LED 3.5 V / L2 ophthalmoscope, LED 3.5 V / ri-scope® F.O. nasal speculum / ri-scope® F.O. tongue blade holder / ri-scope® F.O. light conductor / Type C battery handle for 1 ri-accu® L

ri-scope® ri-derma dermatoscope

- **ri-scope® L ri-derma** dermatoscope head
- Type C battery handle (batteries not included)
- Two contact plates: one with scale and one without
- Deluxe hard case with safety catch



3777	ri-scope® ri-derma dermatoscope LED 2.5 V / Type C battery handle for 2 C alkaline batteries or 1 ri-accu®
3777-550	ri-scope® ri-derma dermatoscope LED 3.5 V / Type C battery handle for 1 ri-accu® L

HANDLE

Type C Battery Handle



- Equipped with rheotronic® electronic light adjustment technology – simply rotate the switch ring clockwise or counterclockwise for smooth, precise brightness control to suit clinician preference
- Solid metal construction with black chrome plating for durability and premium finish
- Practical bayonet fitting for quick and secure instrument head changes
- Compatible with 3.5 V and 2.5 V **ri-scope®** instrument heads
- Works with 2 C alkaline batteries or 1 **ri-accu®** / **ri-accu® L** rechargeable battery
- Simple charging via **plug-in charger** (with **ri-accu® L [10694]**) or **charging base** (**ri-charger® L** with **ri-accu® L [10691]** or **ri-charger®** with **ri-accu® [10681]**)
- Easy battery replacement at the base of the handle
- Handle diameter: 28 mm
- Supplied without batteries

10670 Type C battery handle with rheotronic®, chrome-plated, for 2 Type C alkaline batteries or 1 **ri-accu®** / **ri-accu® L**

CHARGING OPTIONS

Charging base



- **ri-charger® L** (white model): For all rechargeable handles with Li-ion batteries, 3.5 V
- **ri-charger®** (black model): For all rechargeable handles with NiMH batteries, 2.5 V and 3.5 V
- Available as table-top or wall-mounted unit
- Includes a practical storage compartment for two replacement lamps and ear specula
- Charging status displayed on device
 - Yellow: charging in progress
 - Green: charging completed

10705 **ri-charger® L** 3.5 V, wall support with EU adapter

10705.001 **ri-charger® L** 3.5 V, wall support with UK adapter

10705.002 **ri-charger® L** 3.5 V, wall support with AU adapter

10706 **ri-charger® L** 3.5 V, wall support with US adapter

10700 **ri-charger®** 2.5 V / 3.5 V, wall support with EU adapter

10701.001 **ri-charger®** 2.5 V / 3.5 V, wall support with UK adapter

10700.006 **ri-charger®** 2.5 V / 3.5 V, wall support with AU adapter

10701 **ri-charger®** 2.5 V / 3.5 V, wall support with US adapter

Accessories

10713 Ear specula compartment cover for **ri-charger® L**, blue

10712 Ear specula compartment cover for **ri-charger®**, black

10710 Wall support **ri-charger®** / **ri-charger® L**, with screws and plugs



Plug-in charger

- Operate with 3.5 V **ri-accu® L [10694]** rechargeable Li-ion battery
- Up to 9 hours operating time (LED) when fully charged
- Latest charging technology – less than 3 hours charging time
- Wide-range plug-in charger (120 – 240 V) with regional plug options available on request

10707 Plug-in charger for rechargeable Li-ion battery 3.5 V **ri-accu® L [10694]** for Type C battery handle, w/o battery, EU plug

10708 Plug-in charger for rechargeable Li-ion battery 3.5 V **ri-accu® L [10694]** for Type C battery handle, with battery, EU plug

10708.002 Plug-in charger for rechargeable Li-ion battery 3.5 V **ri-accu® L [10694]** for Type C battery handle, with battery, US plug



USB-C Handle

- Higher capacity – up to 10 hours operating time
- Battery status indicator on handle (bi-colour LED shows: fully charged, charging, or charge required)
- Universal USB Type-C charging technology
- Wide-range plug-in charger (120 – 240 V) with regional plug options available on request
- Fully charged in approximately 3.5 hours
- Charging status
 - Green: Battery fully charged
 - Flashes green: Battery charging
 - Orange: Battery critically low – charge required

10704	USB Type C battery handle, 3.5 V with rechargeable Li-ion battery, charging cable, charging adapter and EU plug adapter
10704.001	USB Type C battery handle, 3.5 V with rechargeable Li-ion battery, charging cable, charging adapter and AU plug adapter
10704.002	USB Type C battery handle, 3.5 V with rechargeable Li-ion battery, charging cable, charging adapter and UK plug adapter
10704.003	USB Type C battery handle, 3.5 V with rechargeable Li-ion battery, charging cable, charging adapter and US plug adapter

BATTERIES

10691	ri-accu® L rechargeable Li-ion battery Type C, 3.5 V for Type C battery handle and ri-charger® L
10694	ri-accu® L rechargeable Li-ion battery Type C, 3.5 V for Type C battery handle and plug-in charger
10681	ri-accu® rechargeable NiMH battery Type C, 2.5 V for Type C battery handle
10699	ri-accu® USB rechargeable Li-ion battery Type C, 3.5 V for Type C battery handle
10686	Type C alkaline battery 1.5 V, pack of 2 pcs.

LAMPS

LED 2.5 V



- For **ri-scope®** otoscope L2 / L3
- Pack contains 1 unit

LED 2.5 V



- For **ri-scope®** ophthalmoscope L2 / L3
- Pack contains 1 unit

10626	LED 2.5 V lamp, 1 pc.
--------------	-----------------------


10624	LED 2.5 V lamp, 1 pc.
--------------	-----------------------

LED 3.5 V



- For **ri-scope®** otoscope L2 / L3, Light conductor, nasal speculum and tongue blade holder
- Pack contains 1 unit

LED 3.5 V



- For **ri-scope®** ophthalmoscope L2 / L3
- Pack contains 1 unit

10625	LED 3.5 V lamp, 1 pc.
--------------	-----------------------

10627	LED 3.5 V lamp, 1 pc.
--------------	-----------------------

SPECULA



Reusable specula for L2

- Available in sizes: 2 mm, 2.5 mm, 3 mm, 4 mm and 5 mm
- Made of black plastic, each speculum clearly labelled by size
- Supplied in a polybag

10775	Reusable ear specula Ø 2.0 mm, pack of 10 pcs.	10779	Reusable ear specula Ø 2.5 mm, pack of 10 pcs.
10783	Reusable ear specula Ø 3.0 mm, pack of 10 pcs.	10789	Reusable ear specula Ø 4.0 mm, pack of 10 pcs.
10795	Reusable ear specula Ø 5.0 mm, pack of 10 pcs.		



Disposable specula for L2

- For single use – a hygienic option to prevent cross-contamination
- Made of black plastic, each speculum clearly labelled by size
- Supplied in a polybag

10772-532 Disposable ear specula Ø 2.0 mm, pack of 100 pcs.	10773-532 Disposable ear specula Ø 2.0 mm, pack of 500 pcs.
10774-532 Disposable ear specula Ø 2.0 mm, pack of 1000 pcs.	10772-531 Disposable ear specula Ø 2.5 mm, pack of 100 pcs.
10773-531 Disposable ear specula Ø 2.5 mm, pack of 500 pcs.	10774-531 Disposable ear specula Ø 2.5 mm, pack of 1000 pcs.
10772-533 Disposable ear specula Ø 3.0 mm, pack of 100 pcs.	10773-533 Disposable ear specula Ø 3.0 mm, pack of 500 pcs.
10774-533 Disposable ear specula Ø 3.0 mm, pack of 1000 pcs.	10772-534 Disposable ear specula Ø 4.0 mm, pack of 100 pcs.
10773-534 Disposable ear specula Ø 4.0 mm, pack of 500 pcs.	10774-534 Disposable ear specula Ø 4.0 mm, pack of 1000 pcs.
10772-535 Disposable ear specula Ø 5.0 mm, pack of 100 pcs.	10773-535 Disposable ear specula Ø 5.0 mm, pack of 500 pcs.
10774-535 Disposable ear specula Ø 5.0 mm, pack of 1000 pcs.	
14061-532 Disposable specula Ø 2.0 mm, pack of 100 pcs.	14062-532 Disposable specula Ø 2.0 mm, pack of 500 pcs.
14063-532 Disposable specula Ø 2.0 mm, pack of 1000 pcs.	14061-531 Disposable specula Ø 2.5 mm, pack of 100 pcs.
14062-531 Disposable specula Ø 2.5 mm, pack of 500 pcs.	14063-531 Disposable specula Ø 2.5 mm, pack of 1000 pcs.
14061-533 Disposable specula Ø 3.0 mm, pack of 100 pcs.	14062-533 Disposable specula Ø 3.0 mm, pack of 500 pcs.
14063-533 Disposable specula Ø 3.0 mm, pack of 1000 pcs.	14061-534 Disposable specula Ø 4.0 mm, pack of 100 pcs.
14062-534 Disposable specula Ø 4.0 mm, pack of 500 pcs.	14063-534 Disposable specula Ø 4.0 mm, pack of 1000 pcs.
14061-535 Disposable specula Ø 5.0 mm, pack of 100 pcs.	14062-535 Disposable specula Ø 5.0 mm, pack of 500 pcs.
14063-535 Disposable specula Ø 5.0 mm, pack of 1000 pcs.	



Reusable specula for L3

- Specially developed for use with the SpecEjec option, absolutely reliable handling
- Available in sizes: 2 mm, 3 mm, 4 mm, 5 mm and 9 mm
- The 9 mm speculum is suitable for use as a nasal speculum
- Made of black plastic, each speculum clearly labelled by size
- Supplied in a polybag

10800-532 Reusable ear specula Ø 2.0 mm, pack of 10 pcs.	10800-533 Reusable ear specula Ø 3.0 mm, pack of 10 pcs.
10800-534 Reusable ear specula Ø 4.0 mm, pack of 10 pcs.	10800-535 Reusable ear specula Ø 5.0 mm, pack of 10 pcs.
10800-539 Reusable nasal specula Ø 9.0 mm, pack of 10 pcs.	



Disposable specula for L3

- For single use – a hygienic option to prevent cross-contamination
- Made of black plastic, each speculum clearly labelled by size
- Supplied in a polybag

10801-532 Disposable ear specula Ø 2.0 mm, pack of 100 pcs.	10802-532 Disposable ear specula Ø 2.0 mm, pack of 500 pcs.
10803-532 Disposable ear specula Ø 2.0 mm, pack of 1000 pcs.	10801-533 Disposable ear specula Ø 3.0 mm, pack of 100 pcs.
10802-533 Disposable ear specula Ø 3.0 mm, pack of 500 pcs.	10803-533 Disposable ear specula Ø 3.0 mm, pack of 1000 pcs.
10801-534 Disposable ear specula Ø 4.0 mm, pack of 100 pcs.	10802-534 Disposable ear specula Ø 4.0 mm, pack of 500 pcs.
10803-534 Disposable ear specula Ø 4.0 mm, pack of 1000 pcs.	10801-535 Disposable ear specula Ø 5.0 mm, pack of 100 pcs.
10802-535 Disposable ear specula Ø 5.0 mm, pack of 500 pcs.	10803-535 Disposable ear specula Ø 5.0 mm, pack of 1000 pcs.
10801-539 Disposable nasal specula Ø 9.0 mm, pack of 100 pcs.	10802-539 Disposable nasal specula Ø 9.0 mm, pack of 500 pcs.
10803-539 Disposable nasal specula Ø 9.0 mm, pack of 1000 pcs.	

ACCESSORIES



Operation lens

- › Optical glass with a small inner diameter for instrument insertion
- › 4× magnification
- › With pin connector
- › For use with L2 and L3 otoscopes

11449 Operation lens for **ri-scope®** L otoscope



Laryngeal mirrors

- › For **ri-scope®** F.O. light conductor
- › Two laryngeal mirrors No. 3 (Ø 20 mm / 0.79 in) and No. 4 (Ø 22 mm / 0.87 in) for illumination and mirroring of laryngeal area
- › Easily attached to the light conductor

10447 1 pair of Laryngeal mirrors, 2pcs.



Magnifying glass

- › For **ri-scope®** L ophthalmoscope
- › Separate magnifying glass with 5× magnification

10965 Separate magnifying glass for **ri-scope®** L ophthalmoscope



Swivel magnifying glass

- › For **ri-scope®** F.O. nasal speculum
- › 2.5× magnification
- › With pin connector

11564 Swivel magnifying glass for **ri-scope®** F.O. nasal speculum



Contact plate

- › Compatible with **ri-derma** dermatoscope
- › Two skin-friendly contact plates are available:
 - With scale (0 – 10 mm) for precise measurement of pigmented lesions
 - Without scale

10968 Contact plate without scale for **ri-derma**

10969 Contact plate with scale for **ri-derma**



Bulb for pneumatic test

- › Compatible with all **Riester** otoscopes
- › For diagnosing middle ear disorders
- › Enables optimal eardrum examination through air pressure
- › No connector needed – pneumatic bulb links directly via integrated port on the side of the instrument head

10960 Bulb for pneumatic test

Please visit **riester.de** for more information



Rudolf Riester GmbH P.O. Box 35 | Bruckstraße 31 | 72417 Jungingen | Germany
Tel.: (+49) 7477-9270-0 | Fax.: (+49) 7477-9270-70 | info@riester.de | www.riester.de

